

# MIDER

## **WITHDRAWN: Induction chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy with or without adjuvant chemotherapy for locally advanced nasopharyngeal carcinoma**

Item Type	Article
Authors	Zhou, Zhi Rui;Zou, Zhang Yu;Xia, Jun;Qu, Song
Citation	Zhou ZR, Zou ZY, Xia J, Qu S. WITHDRAWN: Induction chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy with or without adjuvant chemotherapy for locally advanced nasopharyngeal carcinoma. Cochrane Database of Systematic Reviews. 2018(1):CD010667. doi: 10.1002/14651858.CD010667.pub2.
Publisher	Wiley
Download date	2026-06-13 11:40:31
Link to Item	<a href="https://mider.dspace7.openrepository.com/handle/20.500.12904/7059">https://mider.dspace7.openrepository.com/handle/20.500.12904/7059</a>



**Cochrane**  
**Library**

Cochrane Database of Systematic Reviews

## Induction chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy with or without adjuvant chemotherapy for locally advanced nasopharyngeal carcinoma (Protocol)

Zhou ZR, Zou ZY, Xia J, Qu S

Zhou ZR, Zou ZY, Xia J, Qu S.

Induction chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy with or without adjuvant chemotherapy for locally advanced nasopharyngeal carcinoma.

*Cochrane Database of Systematic Reviews* 2018, Issue 1. Art. No.: CD010667.

DOI: 10.1002/14651858.CD010667.pub2.

[www.cochranelibrary.com](http://www.cochranelibrary.com)

## TABLE OF CONTENTS

HEADER . . . . .	1
REASON FOR WITHDRAWAL . . . . .	1
WHAT'S NEW . . . . .	1
SOURCES OF SUPPORT . . . . .	1

[Intervention Protocol]

# Induction chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy with or without adjuvant chemotherapy for locally advanced nasopharyngeal carcinoma

Zhi Rui Zhou<sup>1</sup>, Zhang Yu Zou<sup>2</sup>, Jun Xia<sup>3</sup>, Song Qu<sup>4</sup>

<sup>1</sup>Department of Radiation Oncology, Tumor Hospital of Jilin Province, Changchun, China. <sup>2</sup>Department of Neurology, Union Hospital of Fujian Medical University, Fuzhou, China. <sup>3</sup>Cochrane Schizophrenia Group, Institute of Mental Health, University of Nottingham, Nottingham, UK. <sup>4</sup>Department of Radiation Oncology, Cancer Hospital of Guangxi Medical University, Nanning, China

Contact address: Zhi Rui Zhou, Department of Radiation Oncology, Tumor Hospital of Jilin Province, No.1018, Huguang Road, Changchun, Jilin, 130012, China. [zrz3711@163.com](mailto:zrz3711@163.com).

**Editorial group:** Cochrane ENT Group.

**Publication status and date:** Withdrawn from publication for reasons stated in the review, published in Issue 1, 2018.

**Citation:** Zhou ZR, Zou ZY, Xia J, Qu S. Induction chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy with or without adjuvant chemotherapy for locally advanced nasopharyngeal carcinoma. *Cochrane Database of Systematic Reviews* 2018, Issue 1. Art. No.: CD010667. DOI: 10.1002/14651858.CD010667.pub2.

Copyright © 2018 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

The editorial group responsible for this previously published document have withdrawn it from publication.

## REASON FOR WITHDRAWAL

Protocol withdrawn from Issue 1, 2018: review did not proceed.

## WHAT'S NEW

Date	Event	Description
11 January 2018	Amended	Protocol withdrawn from Issue 1, 2018: review did not proceed

## **SOURCES OF SUPPORT**

### **Internal sources**

- None, Other.

### **External sources**

- None, Other.